UNCLASSIFIED

AD 296 573

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Office of Naval Research

Contract No. N62558 - - - 2381

Task No. NRO51 - - - 417

Technical Report No. 4

Reduction by Organometallic Complexes.

By David A. Brown, J. P. Hargaden and H. Sloan*

*Present Address: Chemistry Department, University of Toronto, ...
Toronto, Canada.

In a recent paper (1), Wilkinson and co-workers discussed the protonation of transition metal carbonyl complexes; solutions of tricarbonylarenechromiums in concentrated acids were found to decompose rapidly but N.M.R. evidence for protonation at the metal atom was obtained under these conditions. Sternberg and Wender (2) have explained previously the reducing ability of the dicarbonyl- $\overline{m{\eta}}$ -cyclopentadienyliron dimer in ethanolic hydrochloric acid in terms of protonation at the iron atom but no direct spectral evidence is available to support this contention (1). of these results prompts us to record some preliminary observations of the behaviour of tricarbonylarene chromiums in dilute ethanolic hydrochloric acid which are consistent with the above view. find that solutions of azobenzene (10-2 M) and tricarbonylarenechromiums (10^{-2} M), $RC_6H_5(CO)_3$, in dilute ethanolic hydrochloric acid (10⁻¹M) under nitrogen give fair yields (up to 30%) of benzidine dihydrochloride, identified by analysis and I.R. spectrum. The reaction occurs for the substituent range R=Me, CL, H, NH2, NHMe and NMe, and is facilitated by electron repelling groups; this is consistent with protonation at the chronium atom being assisted by charge transfer as discussed by two of us previously (3). Moreover, no reduction is observed in the absence of acid so some type of protonation seems essential. More dilute solutions (10-4M) of the complexes undergo fairly rapid decomposition (complete in 30 mins.-2 hours) in ethanolic hydrochloric acid under nitrogen with the evolution of carbon monoxide and formation of free arene. Spectrophotometric studies of tricarbonylanilinechronium show an immediate fall in intensity of the 3150 $\check{\rm A}$ band corresponding to

protonation at the nitrogen atom followed by a further decrease due to decomposition; extrapolation gives a pKa value of 1.26. In contrast, a rapid potentiometric titration, under nitrogen, gives a pKa of 2.15. The difference may be ascribed to additional protonation at the metal atom.

In the presence of an oxidant, reduction apparently occurs by proton transfer from the protonated complex with, consequently, less direct decomposition. Increase of reaction temperature favours the latter and the yields of benzidine are correspondingly lower. These results support the view that reduction by organometallic complexes is related to protonation at the metal atom. Detailed investigations of these reactions are in progress.

- (1) Davison, McFarlane, Pratt and Wilkinson, J., 1962, 3653.
- (2) Sternberg and Wender, Internat. Conf. Coordination Chemistry, Chem. Soc. Special Publ. No. 13, 1959, p. 35.
- (3) Brown and Sloan, J., 1962, 3846.

TECHNICAL REPORT DISTRIBUTION LIST

Contract N62558-2381

NR No 051-417

Commanding Officer Office of Naval Research Branch Office The John Crerar Library Building 86 East Randolph Street Chicago 1, Illinois. (1)	Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command U. S. Army Natick, Hass. (1)	
Commanding Officer Office of Naval Research Branch Office	Air Force Office of Scientific Research (SRC-E) Washington 25, D.C. (1)	
346 Broadway New York 13, New York (1) Commanding Officer Office of Naval Research Branch Office	Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D.C. Attn: Technical Information Office Branch 012 (1)	
1030 East Green Street Pasadena 1, California (1) Commanding Officer Office of Naval Research Branch Office	Office, Chief of Research & Develop- ment Department of the Army Washington 25, D.C. Attn: Physical Sciences Division (1)	
Box 39 Navy 100 Fleet Post Office New York, New York (7) Director, Naval Research Laboratory	Department of the Navy Washington 25, D.C.	
Washington 25, D.C. Attn: Technical Information Office Chemistry Division (6) (2)	er Chief, Eureau of Naval Weapons Department of the Navy Washington 25, D.C.	
Chief of Naval Research Department of the Navy Washington 25, D.C. Attn: Code 425 (2)	Attn: Technical Library (4) ASTIA Document Service Centre Arlington Hall Station Arlington 12, Virginia (10)	
DDR & E Technical Library Room 30-128, The Pentagon Washington 25, D.C. (1)	Director of Research U.S. Army Signal Research & Development Laboratory Fort Monmouth, New Jersey (1)	
Technical Director Research & Engineering Division Office of the Quartermaster General Department of the Army Washington 25, D.C. (1)	Naval Radiological Defense Laboratory ISan Francisco 24, California Attn: Technical Library (1)	

Naval Ordnance Test Station China Lake, California Attn: Head, Chemistry Division	(1)	Dr. T.G.Fox, Director of Resea Mellon Institute Department of Chemistry Pittsburgh 13, Penn.	erch (1)
Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Attn: Scientific Synthesis Office	e(1)	Dr. H.S.Gutowsky Department of Chemistry University of Illinois Urbana, Illinois	(1)
	(1)	Dr. J.D.Leffler Department of Chemistry Florida State University Tallahassec, Florida	(1)
	(1)	Dr. W.N.Lipscomb Department of Chemistry Harvard University Cambridge, Mass.	(1)
Atomic Energy Commission Division of Technical Informati Extension Post Office Box 62 Oak Ridge, Tennessee	on (1)		(1)
U.S. Army Chemical Research and Development Laboratories Technical Library Army Chemical Centre, Maryland		Mr. B.R. Stein European Research Office U.S. Army R. & D. Liaison Group 9851DU APO 757	()
Office of Technical Services Department of Commerce Washington 25, D.C.	(1)	New York, N.Y. Dr. M.J.S. Dewar De northeant of Chamistry	(1)
Commanding Officer Office of Naval Research Branch Office	Ļ	Department of Chemistry University of Chicago Chicago 37, Illinois	(l)
1000 Geary Street San Francisco 9, California	(1)	Dr. M.S. Cohen, Chief Propellents Synthesis Section Reaction Motors Division Denville, New Jersey	(1)
Dr. G.Barth-Wehrenalp, Director Inorganic Research Department Pennsalt Chemicals Corporation Box 4388 Philadelphia 18, Penn.	(2)	Pordnance Corps (ORDBB-TO1) Picatinny Arsenal Dover, New Jersey	(1)
Dr. A.B.Burg Department of Chemistry University of Southern Californ		Monsanto Research Corporation Everett Station Boston 49, Mass. Attn: Mr. K. Warren Easley	(1)

The same of the interpretational parameters and the same of the sa

•

Dr. D.C.Bradley
Department of Chemistry
University of Western Ontario
London, Canada (1)

Dr. T.L. Heying Organics Division Olin Mathieson Chemical Corporation 275 Winchester Avenue New Haven, Conn. (1)

Dr. Joyce J. Kaufman RIAS 7212 Bellona Avenue Baltimore 12, Maryland (1)

Dr. H.B. Jonasson
Department of Chemistry
Tulone University
New Orleans, Louisiana (1)

Dr. T.D.Parsons
Department of Chemistry
Oregon State College
Corvallis, Oregon (1)

Dr. J.D.Roberts
Department of Chemistry
California Institute of Technology
Pasadena, California (1)